

**Directorate:** ESS: COSHH 2002 (as amended) **Section:** Service & Installation**Describe the activity or work process.****Product name:** Wire Rope Lubricant Aerosol

Lubricating main hoisting ropes

Safety Data Sheet Number: SDS 01**Issue date:** 28/01/2022 **Version:** 1.0**Location of process being carried out?**

Lift shaft & lift motor room

Identify the persons at risk:☐ **Engineers** ☐ Contractors ☐ Public**Name the substance involved in the process and its manufacturer.****WIRE ROPE LUBRICANT**

Whitmore

30 Whitmore Drive

Rockwall, Texas, 75087, USA

T: 1.972.771.1000

Regulatory@whitmores.com | www.whitmores.com

Classification (state the category of danger)☐ Toxic ☒ **Explosive** ☐ Irritant ☐ Very Toxic ☐ Highly Flammable ☐ Sensitising ☐ Gas under pressure
☐ Flammable ☒ **Corrosive** ☐ Environmental ☐ Oxidising ☐ Harmful**Hazard Type**☒ **Aerosol** ☐ Gas ☐ Vapour ☐ Mist ☐ Fume ☐ Dust ☐ Liquid ☐ Solid☐ Other (State): _____**Route of Exposure**☐ **Inhalation** ☐ Skin ☐ Eyes ☐ Ingestion ☐ Other (State): _____**Workplace Exposure Limits (WELs) – please indicate N/A where not applicable****Long-term exposure level (8hr TWA):** N/A**Short-term exposure level (15 mins):** 5–10 mins**State the Risks to Health from Identified Hazards**

Inhalation of aerosol spray in confined spaces.

Control Measures: *(e.g. extraction, ventilation, training, supervision. Include special measures for vulnerable groups such as disabled people and pregnant workers. Take account of substances produced from activities undertaken by another employer's employees.)*

Avoid use in confined spaces and ensure adequate ventilation. Avoid contact with eyes and if necessary wear eye protection

? Is health surveillance or monitoring required? ? Yes ? No

Personal Protective Equipment

?? Dust mask	EN149:2001	? Visor	EN166-B/F
? Respirator	EN140	? Goggles	EN166 1F
? Gloves	EN388:1994	? Overalls	
? Footwear	EN ISO 20345	? Other	

First Aid Measures

Wash skin thoroughly with soap and water. Irrigate eyes with warm water. Remove to fresh air and seek medical advice. If swallowed, drink water but do not induce vomiting. Seek medical attention immediately.

Storage

Avoid contact with heat. Non-Flammable.

Disposal of Substances & Contaminated Containers

? Hazardous Waste ? Skip ? Return to Depot ? Return to Supplier
? Other (If Other Please State): _____

Transport: N/A

Fire Arrangements

N/A

Spillage

Wear necessary PPE. Extinguish all ignition sources. Avoid sparks, flames, heat or smoking. Ventilate area and allow it to evaporate. Do not allow run-off to waterways.

Is exposure adequately controlled?

? Yes ? No

Risk Rating Following Control Measures	? High ? Medium ? Low
--	---------------------------

Assessed by: ESS **Date:** June 2025 **Review Date:** June 2027

This is a test pdf for me to download and use in testing